Supplementary Material: paper Tinós et al. (2021), “Partition Crossover for Continuous Optimization: ePX”, Proc. of GECCO’2021.

ABSTRACT

This is the supplementary material to the paper Tinós et al. (2021), “Partition Crossover for Continuous Optimization: ePX”, Proc. of GECCO’2021. This material provides: i) Tables with the results for the experiments with NK landscapes (Section 1); ii) Tables with the results for the experiments with continuous optimization problems (Section 2).

ACM Reference Format:

. 2021. Supplementary Material: paper Tinós et al. (2021), “Partition Crossover for Continuous Optimization: ePX”, Proc. of GECCO’2021.. In *Proceedings of ACM Conference (Conference’17)*. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/nnnnnnn.nnnnnnn>

1 RESULTS: NK LANDSCAPES

1.1 Recombining Local Optima

Figure (1) and tables (1, 2, 3, and 4) of this section show the results of the experiments with recombining local optima for the NK landscapes problem. In ePXv (variant of ePX), edges associated to ϵ -close subfunctions are removed from the VIG but common vertices are not. We consider this variant in order to test the independent impact of removing only common vertices and their edges (PX) or only edges associated to ϵ -close subfunctions (ePXv).

1.2 Genetic Algorithm

Tables (5 and 6) of this section show the results of the experiments with Genetic Algorithms (GAs) for the NK landscapes problem.

2 RESULTS: CONTINUOUS OPTIMIZATION PROBLEMS

2.1 Recombining Local Optima

Figure (2) and tables (7, 8, 9, and 10) of this section show the results of the experiments with recombining local optima for the continuous optimization problems.

2.2 Differential Evolution

Tables (11 and 12) of this section show the results of the experiments with Differential Evolution (DE) algorithms for the continuous optimization problems.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

Conference’17, July 2017, Washington, DC, USA

© 2021 Copyright held by the owner/author(s).

ACM ISBN 978-x-xxxx-xxxx-x/YY/MM.

<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

Figure S 1: Testing the impact of changing ϵ in ePX for the experiment with recombining local optima in the NK landscapes random model with $N = 500$ and $K = 2$. In these experiments, edges associated to ϵ -close subfunctions are removed from the VIG but common vertices are not. This was done in order to investigate the impact of ϵ in the decomposition of the VIG. This version of ePX is called ePXv.

Table S 1: Number of recombining components in the experiment with recombining local optima for the NK landscapes. The symbols '=', '+', and '-' respectively indicate that the mean for the ePX is equal, better or worse than the mean for the respective recombination operator. The letter *s* indicates that the differences are statistically significant.

Model	<i>N</i>	<i>K</i>	PX	ePXv	ePX
random	100	2	1.4533±0.0924(s+)	1.0086±0.0094(s+)	1.4558±0.0939
		4	1.0005±0.0007(+)	1.0000±0.0000(s+)	1.0005±0.0007
	300	2	2.2411±0.2574(s+)	1.0241±0.0356(s+)	2.2473±0.2556
		4	1.0012±0.0019(+)	1.0000±0.0000(s+)	1.0012±0.0018
	500	2	2.7026±0.2708(s+)	1.0170±0.0123(s+)	2.7172±0.2729
		4	1.0013±0.0012(+)	1.0000±0.0000(s+)	1.0013±0.0012
	adjacent	100	7.4708±0.3505(s+)	5.4127±0.2852(s+)	7.4895±0.3453
		4	3.2143±0.0996(s+)	1.4035±0.0464(s+)	3.2229±0.0990
	300	2	22.8852±0.5819(s+)	16.4913±0.5096(s+)	22.9176±0.5749
		4	9.5854±0.1801(s+)	3.4430±0.1230(s+)	9.6069±0.1805
	500	2	37.3933±0.9161(s+)	27.2945±0.4136(s+)	37.4822±0.8960
		4	15.9802±0.2622(s+)	5.6480±0.1513(s+)	16.0085±0.2613

Table S 2: Successful recombination rate in the experiment with recombining local optima for the NK landscapes.

Model	<i>N</i>	<i>K</i>	2X	UX	m2X	mUX	PX	ePXv	ePX
random	100	2	3.27e-4±5.44e-4(s+)	3.27e-5±1.61e-4(s+)	2.46e-3±2.30e-3(s+)	3.92e-4±5.25e-4(s+)	1.90e-1±3.96e-2(s-)	3.87e-3±4.46e-3(s+)	1.89e-1±3.95e-2
		4	8.16e-6±8.16e-5(s+)	0.00e+0±0.00e+0(s+)	2.61e-4±4.48e-4(-)	0.00e+0±0.00e+0(s+)	1.96e-4±3.69e-4(+)	0.00e+0±0.00e+0(s+)	2.04e-4±3.74e-4
	300	2	4.08e-5±1.79e-4(s+)	0.00e+0±0.00e+0(s+)	2.53e-4±4.29e-4(s+)	0.00e+0±0.00e+0(s+)	4.49e-1±7.20e-2(s-)	5.87e-3±6.71e-3(s+)	4.41e-1±7.61e-2
		4	0.00e+0±0.00e+0(s+)	0.00e+0±0.00e+0(s+)	8.16e-6±8.16e-5(s+)	0.00e+0±0.00e+0(s+)	6.12e-4±1.08e-3(-)	0.00e+0±0.00e+0(s+)	6.12e-4±1.08e-3
	500	2	8.16e-6±8.16e-5(s+)	0.00e+0±0.00e+0(s+)	4.90e-5±1.95e-4(s+)	0.00e+0±0.00e+0(s+)	5.60e-1±5.67e-2(s-)	7.44e-3±5.61e-3(s+)	5.59e-1±5.50e-2
		4	1.63e-5±1.15e-4(s+)	0.00e+0±0.00e+0(s+)	0.00e+0±0.00e+0(s+)	0.00e+0±0.00e+0(s+)	6.86e-4±8.66e-4(-)	0.00e+0±0.00e+0(s+)	6.69e-4±8.56e-4
	adjacent	100	1.39e-1±1.49e-2(s+)	4.90e-5±2.27e-4(s+)	6.65e-1±3.87e-2(s+)	5.22e-4±7.01e-4(s+)	9.80e-1±9.88e-3(s-)	9.27e-1±2.32e-2(s+)	9.79e-1±1.00e-2
		4	8.26e-2±1.15e-2(s+)	0.00e+0±0.00e+0(s+)	5.04e-1±3.59e-2(s+)	0.00e+0±0.00e+0(s+)	6.92e-1±3.17e-2(-)	1.78e-1±2.26e-2(s+)	6.92e-1±3.15e-2
	300	2	1.80e-1±1.52e-2(s+)	0.00e+0±0.00e+0(s+)	7.55e-1±3.00e-2(s+)	0.00e+0±0.00e+0(s+)	1.00e+0±0.00e+0(=)	1.00e+0±1.95e-4(s+)	1.00e+0±0.00e+0
		4	1.25e-1±1.39e-2(s+)	0.00e+0±0.00e+0(s+)	6.34e-1±3.19e-2(s+)	0.00e+0±0.00e+0(s+)	9.92e-1±3.68e-3(-)	6.98e-1±3.08e-2(s+)	9.92e-1±3.64e-3
	500	2	1.93e-1±1.57e-2(s+)	0.00e+0±0.00e+0(s+)	7.76e-1±2.72e-2(s+)	0.00e+0±0.00e+0(s+)	1.00e+0±0.00e+0(=)	1.00e+0±0.00e+0(=)	1.00e+0±0.00e+0
		4	1.42e-1±1.45e-2(s+)	0.00e+0±0.00e+0(s+)	6.80e-1±3.72e-2(s+)	0.00e+0±0.00e+0(s+)	1.00e+0±4.62e-4(=)	9.03e-1±1.74e-2(s+)	1.00e+0±4.62e-4

Table S 3: Best fitness in the experiment with recombining local optima for the NK landscapes.

Model	<i>N</i>	<i>K</i>	2X	UX	m2X	mUX	PX	ePXv	ePX
random	100	2	7.39e-1±1.74e-2(s+)	7.38e-1±1.74e-2(s+)	7.39e-1±1.74e-2(s+)	7.39e-1±1.75e-2(s+)	7.44e-1±1.72e-2(+)	7.39e-1±1.74e-2(s+)	7.44e-1±1.72e-2
		4	7.58e-1±9.68e-3(+)	7.58e-1±9.68e-3(+)	7.58e-1±9.69e-3(-)	7.58e-1±9.68e-3(+)	7.58e-1±9.68e-3(=)	7.58e-1±9.68e-3(-)	7.58e-1±9.68e-3
	300	2	7.28e-1±1.05e-2(s+)	7.28e-1±1.05e-2(s+)	7.28e-1±1.05e-2(s+)	7.28e-1±1.05e-2(s+)	7.32e-1±1.10e-2(+)	7.28e-1±1.05e-2(s+)	7.32e-1±1.09e-2
		4	7.44e-1±5.78e-3(s+)	7.44e-1±5.78e-3(s+)	7.44e-1±5.78e-3(s+)	7.44e-1±5.78e-3(s+)	7.44e-1±5.79e-3(+)	7.44e-1±5.78e-3(+)	7.44e-1±5.79e-3
	500	2	7.27e-1±5.48e-3(s+)	7.27e-1±5.48e-3(s+)	7.27e-1±5.48e-3(s+)	7.27e-1±5.48e-3(s+)	7.30e-1±5.33e-3(+)	7.27e-1±5.44e-3(s+)	7.30e-1±5.36e-3
		4	7.39e-1±4.02e-3(s+)	7.39e-1±4.02e-3(s+)	7.39e-1±4.02e-3(s+)	7.39e-1±4.02e-3(s+)	7.39e-1±4.03e-3(+)	7.39e-1±4.02e-3(+)	7.39e-1±4.03e-3
	adjacent	100	7.41e-1±9.41e-3(s+)	7.35e-1±9.75e-3(s+)	7.45e-1±8.79e-3(s+)	7.35e-1±9.76e-3(s+)	7.49e-1±8.50e-3(-)	7.48e-1±8.90e-3(s+)	7.49e-1±8.50e-3
		4	7.43e-1±1.09e-2(s+)	7.35e-1±1.14e-2(s+)	7.49e-1±1.03e-2(s+)	7.35e-1±1.14e-2(s+)	7.54e-1±1.03e-2(=)	7.49e-1±1.08e-2(s+)	7.54e-1±1.03e-2
	300	2	7.24e-1±8.55e-3(s+)	7.20e-1±8.45e-3(s+)	7.27e-1±8.48e-3(s+)	7.20e-1±8.45e-3(s+)	7.38e-1±8.55e-3(s+)	7.35e-1±8.56e-3(s+)	7.38e-1±8.56e-3
		4	7.26e-1±6.15e-3(s+)	7.21e-1±6.68e-3(s+)	7.30e-1±6.12e-3(s+)	7.21e-1±6.68e-3(s+)	7.39e-1±6.56e-3(+)	7.33e-1±6.78e-3(s+)	7.39e-1±6.56e-3
	500	2	7.21e-1±8.19e-3(s+)	7.17e-1±8.14e-3(s+)	7.23e-1±7.95e-3(s+)	7.17e-1±8.14e-3(s+)	7.36e-1±8.03e-3(+)	7.33e-1±8.02e-3(s+)	7.36e-1±8.03e-3
		4	7.20e-1±4.45e-3(s+)	7.15e-1±4.35e-3(s+)	7.23e-1±4.20e-3(s+)	7.15e-1±4.35e-3(s+)	7.33e-1±4.20e-3(-)	7.27e-1±4.24e-3(s+)	7.33e-1±4.20e-3

Table S 4: Time (s) in the experiment with recombining local optima for the NK landscapes.

Model	<i>N</i>	<i>K</i>	2X	UX	m2X	mUX	PX	ePXv	ePX
random	100	2	2.00e-02±1.4e-17(s-)	2.01e-02±1.00e-03(s-)	1.60e-01±1.0e-03(s-)	1.88e-01±4.78e-03(s+)	1.27e-01±6.89e-03(s-)	3.14e-01±6.50e-03(s+)	1.72e-01±6.22e-03
		4	2.99e-02±1.0e-03(s-)	3.00e-02±4.88e-17(s-)	2.60e-01±5.0e-16(s-)	2.80e-01±1.41e-03(s-)	3.89e-01±8.09e-03(s-)	1.07e+00±1.19e-02(s+)	3.99e-01±5.52e-03
	300	2	5.00e-02±9.8e-17(s-)	5.99e-02±1.00e-03(s-)	4.90e-01±2.2e-16(s-)	5.55e-01±5.41e-03(s+)	3.87e-01±1.47e-02(s-)	9.32e-01±1.54e-02(s+)	5.17e-01±1.31e-02
		4	8.00e-02±5.6e-17(s-)	8.02e-02±1.41e-03(s-)	7.70e-01±5.6e-16(s-)	8.47e-01±4.51e-03(s+)	1.25e+00±1.27e-02(s+)	3.38e+00±1.57e-02(s+)	1.23e+00±1.01e-02
	500	2	8.00e-02±5.6e-17(s-)	9.00e-02±8.37e-17(s-)	8.12e-01±4.0e-03(s-)	9.25e-01±5.02e-03(s+)	6.40e-01±1.01e-02(s-)	1.55e+00±1.10e-02(s+)	8.55e-01±9.36e-03
		4	1.30e-01±2.5e-16(s-)	1.40e-01±1.41e-03(s-)	1.28e+00±3.2e-03(s-)	1.41e+00±5.41e-03(s-)	2.12e+00±1.68e-02(s+)	5.72e+00±2.70e-02(s+)	2.05e+00±1.05e-02
	adjacent	100	2.00e-02±1.4e-17(s-)	2.00e-02±1.39e-17(s-)	1.61e-01±2.4e-03(s+)	1.80e-01±1.67e-16(s+)	9.79e-02±5.91e-03(s-)	2.55e-01±6.74e-03(s+)	1.54e-01±6.56e-03
		4	2.96e-02±2.0e-03(s-)	3.00e-02±4.88e-17(s-)	2.60e-01±5.0e-16(s-)	2.80e-01±3.35e-16(s-)	2.00e-01±2.64e-03(s-)	6.74e-01±4.96e-03(s+)	3.12e-01±5.20e-03
	300	2	5.00e-02±9.8e-17(s-)	5.00e-02±9.76e-17(s-)	4.90e-01±2.2e-16(s-)	5.50e-01±1.00e-03(s+)	2.95e-01±1.01e-02(s-)	7.61e-01±9.46e-03(s+)	4.61e-01±8.18e-03
		4	8.00e-02±5.6e-17(s-)	8.00e-02±5.58e-17(s-)	7.70e-01±5.6e-16(s-)	8.45e-01±5.03e-03(s-)	5.93e-01±6.18e-03(s-)	2.03e+00±7.96e-03(s+)	9.25e-01±7.30e-03
	500	2	8.00e-02±5.6e-17(s-)	9.00e-02±8.37e-17(s-)	8.12e-01±4.1e-03(s+)	9.11e-01±3.59e-03(s+)	4.90e-01±1.49e-02(s-)	1.26e+00±1.32e-02(s+)	7.63e-01±1.36e-02
		4	1.30e-01±2.5e-16(s-)	1.40e-01±1.67e-16(s-)	1.28e+00±1.0e-03(s-)	1.41e+00±3.59e-03(s-)	9.87e-01±6.49e-03(s-)	3.33e+00±4.51e-02(s+)	1.54e+00±7.64e-03

Table S 5: Number of generations in the experiment with the GA for the NK landscapes.

Model	N	K	2X	UX	m2X	mUX	PX	ePXv	ePX
random	100	2	6.98e+3±1.95e+2(s-)	6.79e+3±1.74e+2(s-)	5.30e+3±1.14e+2(s+)	4.53e+3±1.42e+2(s+)	6.63e+3±1.63e+2(s-)	5.25e+3±9.77e+1(s+)	6.15e+3±1.39e+2
		4	6.24e+3±9.18e+1(s-)	6.08e+3±8.34e+1(s-)	4.90e+3±5.08e+1(s+)	4.13e+3±7.95e+1(s+)	5.50e+3±5.95e+1(s-)	3.68e+3±3.29e+1(s+)	5.35e+3±5.85e+1
	300	2	2.81e+3±7.58e+1(s-)	2.80e+3±6.53e+1(s-)	2.49e+3±5.58e+1(s+)	2.19e+3±4.07e+1(s+)	2.75e+3±6.36e+1(s-)	2.50e+3±6.00e+1(s+)	2.70e+3±6.19e+1
		4	2.38e+3±2.48e+1(s-)	2.36e+3±2.35e+1(s-)	2.13e+3±2.00e+1(s+)	1.91e+3±2.55e+1(s+)	2.25e+3±1.95e+1(s-)	1.88e+3±1.50e+1(s+)	2.23e+3±2.30e+1
	500	2	1.76e+3±2.47e+1(s-)	1.73e+3±2.30e+1(s-)	1.60e+3±2.47e+1(s+)	1.45e+3±2.25e+1(s+)	1.74e+3±2.23e+1(s-)	1.62e+3±2.29e+1(s+)	1.69e+3±2.50e+1
		4	1.44e+3±2.22e+1(s-)	1.43e+3±3.90e+0(s-)	1.34e+3±2.15e+1(s+)	1.23e+3±1.13e+1(s+)	1.39e+3±1.88e+1(s-)	1.23e+3±1.83e+1(s+)	1.38e+3±1.64e+1
	adjacent	100	7.74e+3±2.12e+2(s-)	7.43e+3±1.88e+2(s-)	5.87e+3±1.26e+2(s+)	4.74e+3±1.76e+2(s+)	7.51e+3±1.84e+2(s-)	5.87e+3±1.11e+2(s+)	6.78e+3±1.48e+2
		4	7.30e+3±1.43e+2(s-)	7.02e+3±1.33e+2(s-)	5.71e+3±8.82e+1(s+)	4.64e+3±6.27e+1(s+)	6.89e+3±1.19e+2(s-)	4.43e+3±5.20e+1(s+)	6.24e+3±1.08e+2
	300	2	3.29e+3±7.10e+1(s-)	3.21e+3±6.10e+1(s-)	2.87e+3±5.18e+1(s+)	2.46e+3±3.24e+1(s+)	3.24e+3±6.64e+1(s-)	2.89e+3±6.79e+1(s+)	3.10e+3±6.97e+1
		4	2.95e+3±3.67e+1(s-)	2.88e+3±3.39e+1(s-)	2.63e+3±2.66e+1(s+)	2.27e+3±2.60e+1(s+)	2.88e+3±3.38e+1(s-)	2.34e+3±1.86e+1(s+)	2.76e+3±2.73e+1
	500	2	2.05e+3±4.18e+1(s-)	2.02e+3±4.60e+1(s-)	1.87e+3±3.52e+1(s+)	1.64e+3±2.91e+1(s+)	2.04e+3±3.69e+1(s-)	1.90e+3±4.14e+1(s+)	1.97e+3±3.34e+1
		4	1.83e+3±1.96e+1(s-)	1.80e+3±2.07e+1(s-)	1.69e+3±2.05e+1(s+)	1.51e+3±2.19e+1(s+)	1.81e+3±2.48e+1(s-)	1.56e+3±2.31e+1(s+)	1.75e+3±2.38e+1

Table S 6: Best fitness in the experiment with the GA for the NK landscapes.

Model	N	K	2X	UX	m2X	mUX	PX	ePXv	ePX
random	100	2	7.52e-1±1.59e-2(s+)	7.52e-1±1.59e-2(s+)	7.52e-1±1.58e-2(s+)	7.53e-1±1.59e-2(s+)	7.53e-1±1.58e-2(=)	7.52e-1±1.59e-2(s+)	7.53e-1±1.58e-2
		4	7.82e-1±6.80e-3(s-)	7.82e-1±6.56e-3(s-)	7.81e-1±7.39e-3(-)	7.83e-1±6.77e-3(s-)	7.81e-1±6.82e-3(-)	7.79e-1±6.98e-3(s+)	7.81e-1±6.68e-3
	300	2	7.40e-1±1.07e-2(s+)	7.43e-1±1.08e-2(s+)	7.41e-1±1.09e-2(s+)	7.47e-1±1.07e-2(s+)	7.42e-1±1.07e-2(s+)	7.42e-1±1.07e-2(s+)	7.48e-1±1.09e-2
		4	7.58e-1±4.82e-3(s+)	7.62e-1±6.65e-3(-)	7.60e-1±5.51e-3(s+)	7.66e-1±6.55e-3(s-)	7.62e-1±5.12e-3(+)	7.58e-1±5.05e-3(s+)	7.62e-1±5.10e-3
	500	2	7.35e-1±5.38e-3(s+)	7.40e-1±5.84e-3(s+)	7.36e-1±5.07e-3(s+)	7.47e-1±5.45e-3(s+)	7.48e-1±5.53e-3(+)	7.38e-1±5.68e-3(s+)	7.48e-1±5.42e-3
		4	7.50e-1±3.46e-3(s+)	7.51e-1±3.80e-3(+)	7.50e-1±3.69e-3(s+)	7.58e-1±4.32e-3(s-)	7.51e-1±3.28e-3(-)	7.50e-1±3.37e-3(s+)	7.51e-1±3.29e-3
	adjacent	100	7.52e-1±8.35e-3(=)	7.51e-1±8.56e-3(s+)	7.52e-1±8.35e-3(=)	7.52e-1±8.42e-3(s+)	7.52e-1±8.35e-3(=)	7.52e-1±8.35e-3(=)	7.52e-1±8.35e-3
		4	7.78e-1±9.86e-3(s+)	7.70e-1±1.07e-2(s+)	7.78e-1±9.80e-3(s+)	7.75e-1±1.05e-2(s+)	7.78e-1±9.80e-3(s+)	7.78e-1±9.80e-3(s+)	7.78e-1±9.80e-3
	300	2	7.49e-1±8.74e-3(s+)	7.40e-1±9.58e-3(s+)	7.49e-1±8.73e-3(=)	7.47e-1±8.80e-3(s+)	7.49e-1±8.73e-3(=)	7.49e-1±8.73e-3(+)	7.49e-1±8.73e-3
		4	7.75e-1±7.36e-3(s+)	7.48e-1±8.07e-3(s+)	7.77e-1±7.00e-3(s+)	7.62e-1±7.74e-3(s+)	7.78e-1±6.90e-3(s-)	7.78e-1±6.99e-3(s+)	7.78e-1±6.90e-3
	500	2	7.48e-1±8.14e-3(s+)	7.34e-1±8.65e-3(s+)	7.49e-1±8.22e-3(s+)	7.45e-1±8.56e-3(s+)	7.49e-1±8.22e-3(s-)	7.49e-1±8.22e-3(+)	7.49e-1±8.22e-3
		4	7.68e-1±4.54e-3(s+)	7.34e-1±5.41e-3(s+)	7.75e-1±4.48e-3(s+)	7.53e-1±6.14e-3(s+)	7.78e-1±4.28e-3(-)	7.77e-1±4.46e-3(s+)	7.78e-1±4.27e-3

Table S 7: Number of recombining components in the experiment with recombining local optima for the continuous optimization problems.

Problem	M	N	PX	ePXv	ePX
F_4	I	30	1.0000±0.0000(s+)	3.8441±0.0840(=)	3.8441±0.0840
F_4	I	50	1.0000±0.0000(s+)	5.6429±0.1439(=)	5.6429±0.1439
F_4	I	100	1.0000±0.0000(s+)	10.8253±0.3574(=)	10.8253±0.3574
F_1	M ₁	30	5.9996±0.0013(s-)	5.9828±0.0044(=)	5.9828±0.0044
F_1	M ₁	50	7.9994±0.0019(s-)	7.9988±0.0021(=)	7.9988±0.0021
F_1	M ₁	100	9.9993±0.0022(-)	9.9992±0.0025(=)	9.9992±0.0025
F_5	M ₁	30	5.9996±0.0013(s-)	5.8971±0.0170(=)	5.8971±0.0170
F_5	M ₁	50	7.9994±0.0019(s-)	7.9936±0.0036(=)	7.9936±0.0036
F_5	M ₁	100	9.9993±0.0022(=)	9.9993±0.0022(=)	9.9993±0.0022
F_{10}	M ₁	30	5.9996±0.0013(s-)	5.9049±0.0210(=)	5.9049±0.0210
F_{10}	M ₁	50	7.9994±0.0019(s-)	7.9910±0.0061(=)	7.9910±0.0061
F_{10}	M ₁	100	9.9993±0.0022(=)	9.9993±0.0022(=)	9.9993±0.0022

Table S 8: Successful recombination rate in the experiment with recombining local optima for the continuous optimization problems.

Problem	M	N	EX	BX	mEX	mBX	ePX
F_4	I	30	1.59e-001±1.26e-002(s+)	1.59e-001±1.40e-002(s+)	6.59e-001±2.64e-002(s+)	5.50e-001±4.37e-002(s+)	7.00e-001±1.64e-002
F_4	I	50	1.36e-001±1.60e-002(s+)	1.49e-001±1.10e-002(s+)	5.93e-001±3.66e-002(s+)	5.03e-001±4.51e-002(s+)	7.73e-001±3.59e-002
F_4	I	100	1.63e-001±3.12e-002(s+)	1.74e-001±3.16e-002(s+)	5.93e-001±8.26e-002(s+)	5.36e-001±7.58e-002(s+)	9.00e-001±3.17e-002
F_1	M ₁	30	1.01e-001±1.19e-002(s+)	1.29e-001±1.03e-002(s+)	4.98e-001±3.94e-002(s+)	4.93e-001±2.68e-002(s+)	8.24e-001±3.81e-002
F_1	M ₁	50	1.25e-001±1.58e-002(s+)	1.49e-001±2.36e-002(s+)	5.39e-001±6.28e-002(s+)	5.06e-001±5.72e-002(s+)	8.82e-001±4.78e-002
F_1	M ₁	100	1.66e-001±2.10e-002(s+)	1.72e-001±2.87e-002(s+)	5.77e-001±5.76e-002(s+)	5.13e-001±5.02e-002(s+)	8.48e-001±5.62e-002
F_5	M ₁	30	9.20e-002±1.31e-002(s+)	1.11e-001±2.04e-002(s+)	4.89e-001±2.95e-002(s+)	5.13e-001±4.31e-002(s+)	9.45e-001±1.09e-002
F_5	M ₁	50	1.07e-001±1.56e-002(s+)	1.37e-001±1.73e-002(s+)	5.40e-001±3.20e-002(s+)	5.17e-001±3.56e-002(s+)	9.46e-001±1.43e-002
F_5	M ₁	100	1.16e-001±2.63e-002(s+)	1.36e-001±2.44e-002(s+)	5.24e-001±5.89e-002(s+)	4.93e-001±5.35e-002(s+)	8.93e-001±4.27e-002
F_{10}	M ₁	30	1.25e-002±3.94e-003(s+)	2.69e-002±5.79e-003(s+)	1.04e-001±1.54e-002(s+)	2.34e-001±2.67e-002(s+)	9.98e-001±1.00e-003
F_{10}	M ₁	50	1.19e-002±2.86e-003(s+)	2.47e-002±3.24e-003(s+)	1.04e-001±1.49e-002(s+)	1.90e-001±2.86e-002(s+)	1.00e+000±3.94e-004
F_{10}	M ₁	100	8.08e-003±2.97e-003(s+)	5.96e-003±1.96e-003(s+)	7.18e-002±9.78e-003(s+)	6.60e-002±7.50e-003(s+)	1.00e+000±2.58e-004

Table S 9: Best fitness error in the experiment with recombining local optima for the continuous optimization problems.

Problem	M	N	EX	BX	mEX	mBX	ePX
F_4	I	30	4.05e+002±1.91e+002(s+)	4.04e+002±2.12e+002(s+)	3.62e+002±1.75e+002(s+)	3.61e+002±1.86e+002(+)	3.26e+002±1.52e+002
F_4	I	50	8.18e+002±5.62e+002(s+)	8.77e+002±6.33e+002(s+)	7.60e+002±4.99e+002(+)	7.53e+002±5.37e+002(+)	7.11e+002±5.08e+002
F_4	I	100	4.31e+003±2.10e+003(s+)	4.25e+003±2.01e+003(s+)	3.99e+003±1.92e+003(s+)	4.09e+003±1.93e+003(s+)	3.53e+003±1.80e+003
F_1	M ₁	30	4.07e+009±1.21e+009(s+)	3.74e+009±9.10e+008(s+)	3.39e+009±9.46e+008(+)	3.55e+009±1.04e+009(s+)	3.10e+009±1.00e+009
F_1	M ₁	50	1.97e+010±1.72e+010(s+)	1.88e+010±1.51e+010(s+)	1.70e+010±1.34e+010(s+)	1.69e+010±1.40e+010(s+)	1.47e+010±1.26e+010
F_1	M ₁	100	1.75e+010±2.15e+010(s+)	1.73e+010±2.10e+010(s+)	1.70e+010±2.06e+010(+)	1.62e+010±1.96e+010(+)	1.59e+010±1.90e+010
F_5	M ₁	30	2.80e+002±2.57e+001(s+)	2.75e+002±2.58e+001(s+)	2.49e+002±2.74e+001(+)	2.58e+002±2.77e+001(s+)	2.33e+002±2.22e+001
F_5	M ₁	50	5.50e+002±2.91e+001(s+)	5.48e+002±3.40e+001(s+)	5.33e+002±3.85e+001(s+)	5.35e+002±2.96e+001(s+)	4.75e+002±3.15e+001
F_5	M ₁	100	1.26e+003±8.74e+001(s+)	1.25e+003±7.13e+001(s+)	1.18e+003±8.84e+001(s+)	1.19e+003±9.01e+001(s+)	1.11e+003±6.78e+001
F_{10}	M ₁	30	7.48e+003±2.51e+002(s+)	7.35e+003±2.56e+002(s+)	7.13e+003±1.87e+002(s+)	7.00e+003±2.17e+002(s+)	5.71e+003±3.23e+002
F_{10}	M ₁	50	1.41e+004±4.24e+002(s+)	1.39e+004±2.97e+002(s+)	1.34e+004±3.85e+002(s+)	1.35e+004±2.57e+002(s+)	1.13e+004±2.99e+002
F_{10}	M ₁	100	3.15e+004±7.98e+002(s+)	3.19e+004±3.80e+002(s+)	3.09e+004±3.82e+002(s+)	3.09e+004±4.36e+002(s+)	2.72e+004±3.16e+002

Table S 10: Time (s) in the experiment with recombining local optima for the continuous optimization problems.

Problem	M	N	EX	BX	mEX	mBX	ePX
F_4	I	30	1.00e-002±1.8e-018(s-)	1.00e-002±1.83e-018(s-)	6.00e-002±1.5e-017(s+)	6.20e-002±4.22e-003(s+)	5.00e-002±7.31e-018
F_4	I	50	2.00e-002±3.7e-018(s-)	2.00e-002±3.66e-018(s-)	1.60e-001±2.9e-017(s+)	1.70e-001±2.93e-017(s+)	9.00e-002±1.46e-017
F_4	I	100	6.00e-002±1.5e-017(s-)	6.00e-002±1.46e-017(s-)	6.02e-001±4.2e-003(s+)	6.20e-001±0.00e+000(s+)	1.79e-001±3.16e-003
F_1	M ₁	30	1.00e-002±1.8e-018(s-)	1.00e-002±1.83e-018(s-)	6.00e-002±1.5e-017(s+)	6.70e-002±4.83e-003(s-)	3.28e-001±6.32e-003
F_1	M ₁	50	2.00e-002±3.7e-018(s-)	2.00e-002±3.66e-018(s-)	1.60e-001±2.9e-017(s-)	1.70e-001±2.93e-017(s-)	7.36e-001±1.84e-002
F_1	M ₁	100	6.00e-002±1.5e-017(s-)	6.00e-002±1.46e-017(s-)	5.96e-001±5.2e-003(s-)	6.20e-001±0.00e+000(s-)	6.68e+000±5.12e-001
F_5	M ₁	30	1.00e-002±1.8e-018(s-)	1.00e-002±1.83e-018(s-)	7.00e-002±1.5e-017(s-)	8.00e-002±1.46e-017(s-)	5.05e-001±2.42e-001
F_5	M ₁	50	2.00e-002±3.7e-018(s-)	2.00e-002±3.66e-018(s-)	1.80e-001±2.9e-017(s-)	1.90e-001±2.93e-017(s-)	1.20e+000±3.78e-002
F_5	M ₁	100	6.10e-002±3.2e-003(s-)	7.00e-002±1.46e-017(s-)	6.40e-001±1.2e-016(s-)	6.65e-001±5.27e-003(s-)	1.94e+001±1.93e+000
F_{10}	M ₁	30	1.00e-002±1.8e-018(s-)	1.00e-002±1.83e-018(s-)	1.30e-001±2.9e-017(s-)	1.30e-001±2.93e-017(s-)	6.13e-001±2.63e-002
F_{10}	M ₁	50	3.00e-002±7.3e-018(s-)	3.00e-002±7.31e-018(s-)	2.80e-001±5.9e-017(s-)	2.88e-001±4.22e-003(s-)	1.72e+000±6.15e-002
F_{10}	M ₁	100	8.10e-002±3.2e-003(s-)	9.00e-002±1.46e-017(s-)	8.46e-001±5.2e-003(s-)	8.60e-001±1.17e-016(s-)	6.66e+001±3.95e+000

Table S 11: Number of generations in the experiment with the DE for the continuous optimization problems.

Problem	M	N	EX	BX	mEX	mBX	ePX
F_4	I	30	2.97e+004±2.2e+001(s-)	2.84e+004±6.41e+001(s-)	5.39e+003±4.5e+000(s+)	5.01e+003±3.95e+000(s+)	6.46e+003±2.50e+001
F_4	I	50	1.85e+004±9.7e+000(s-)	1.80e+004±1.67e+001(s-)	3.36e+003±1.1e+000(s+)	3.22e+003±6.23e+000(s+)	5.91e+003±1.18e+001
F_4	I	100	9.83e+003±6.8e+000(s-)	9.50e+003±4.65e+000(s-)	1.79e+003±2.5e+000(s+)	1.74e+003±1.93e+000(s+)	5.44e+003±9.26e+000
F_1	M ₁	30	3.04e+004±6.7e+001(s-)	2.91e+004±9.22e+001(s-)	5.52e+003±1.1e+001(s-)	5.08e+003±1.53e+001(s-)	1.12e+003±2.72e+000
F_1	M ₁	50	1.89e+004±4.7e+001(s-)	1.78e+004±1.14e+001(s-)	3.42e+003±6.8e+000(s-)	3.26e+003±1.03e+000(s-)	7.87e+002±2.17e+000
F_1	M ₁	100	9.91e+003±2.0e+001(s-)	9.75e+003±6.05e+000(s-)	1.80e+003±1.7e+000(s-)	1.76e+003±1.68e+000(s-)	1.74e+002±2.01e+000
F_5	M ₁	30	2.42e+004±3.4e+001(s-)	2.33e+004±1.06e+002(s-)	4.41e+003±9.7e+000(s-)	4.15e+003±1.04e+001(s-)	8.03e+002±3.35e+001
F_5	M ₁	50	1.62e+004±3.0e+001(s-)	1.57e+004±9.77e+000(s-)	2.97e+003±5.1e+000(s-)	2.83e+003±9.71e+000(s-)	5.60e+002±9.64e+000
F_5	M ₁	100	9.13e+003±1.6e+001(s-)	9.01e+003±5.22e+000(s-)	1.64e+003±5.0e-001(s-)	1.62e+003±3.85e+000(s-)	1.01e+002±2.82e+000
F_{10}	M ₁	30	1.32e+004±2.3e+001(s-)	1.29e+004±3.62e+001(s-)	2.45e+003±5.6e+000(s-)	2.36e+003±4.78e+000(s-)	5.16e+002±3.42e+001
F_{10}	M ₁	50	1.04e+004±1.8e+001(s-)	1.01e+004±1.96e+001(s-)	1.91e+003±4.3e+000(s-)	1.83e+003±5.92e+000(s-)	3.39e+002±7.47e+000
F_{10}	M ₁	100	6.96e+003±1.8e+001(s-)	6.73e+003±1.24e+001(s-)	1.27e+003±1.6e+000(s-)	1.22e+003±1.67e+000(s-)	1.20e+001±1.41e-001

Table S 12: Best fitness error in the experiment with the DE for the continuous optimization problems.

Function	M	N	EX	BX	mEX	mBX	ePX
F_4	I	30	0.00e+000±0.00e+000(=)	2.05e-006±1.68e-006(s+)	0.00e+000±0.00e+000(=)	9.84e-001±4.81e-001(s+)	0.00e+000±0.00e+000
F_4	I	50	8.83e-009±3.18e-009(s+)	3.81e+001±1.06e+000(s+)	0.00e+000±0.00e+000(=)	8.91e+001±2.06e+001(s+)	0.00e+000±0.00e+000
F_4	I	100	1.87e+002±1.12e+001(s+)	5.47e+002±1.17e+002(s+)	9.19e+001±5.41e-001(s+)	6.27e+003±2.00e+003(s+)	0.00e+000±0.00e+000
F_1	M ₁	30	0.00e+000±0.00e+000(s-)	3.17e-006±4.17e-006(s-)	0.00e+000±0.00e+000(s-)	2.48e+002±1.92e+002(s+)	3.02e-005±2.49e-005
F_1	M ₁	50	1.14e+005±7.56e+004(s+)	1.40e+004±1.31e+004(s+)	1.37e+003±6.50e+002(s+)	3.76e+008±1.64e+008(s+)	8.94e+001±5.68e+001
F_1	M ₁	100	2.66e+009±3.34e+008(s-)	1.17e+009±4.12e+008(s-)	2.01e+008±3.93e+007(s-)	6.81e+010±1.70e+010(s+)	2.79e+010±3.49e+009
F_5	M ₁	30	7.02e+001±8.12e+000(s+)	1.38e+002±6.26e+001(s+)	5.46e+001±6.46e+000(+)	1.89e+002±2.60e+001(s+)	5.43e+001±8.95e+000
F_5	M ₁	50	2.79e+002±1.49e+001(s+)	3.96e+002±2.12e+001(s+)	2.31e+002±1.47e+001(s+)	4.27e+002±2.05e+001(s+)	1.76e+002±1.15e+001
F_5	M ₁	100	1.13e+003±3.76e+001(s+)	1.00e+003±2.90e+001(s+)	1.00e+003±3.63e+001(s-)	1.20e+003±5.47e+001(s+)	1.12e+003±2.41e+001
F_{10}	M ₁	30	4.69e+003±2.25e+002(s+)	8.15e+003±5.05e+002(s+)	4.12e+003±2.03e+002(-)	7.88e+003±5.05e+002(s+)	4.22e+003±3.12e+002
F_{10}	M ₁	50	1.01e+004±2.57e+002(s+)	1.52e+004±3.99e+002(s+)	9.10e+003±3.83e+002(-)	1.49e+004±3.72e+002(s+)	9.15e+003±3.06e+002
F_{10}	M ₁	100	2.66e+004±6.59e+002(s-)	3.33e+004±5.10e+002(s-)	2.52e+004±4.90e+002(s-)	3.30e+004±4.85e+002(s+)	2.81e+004±4.56e+002

Figure S 2: Testing the impact of changing ϵ in ePX for the experiment with recombining local optima in continuous optimization problem F_4 with $N = 100$. In these experiments, edges associated to ϵ -close subfunctions are removed from the VIG but common vertices are not. This was done in order to investigate the impact of ϵ in the decomposition of the VIG.