INTERPRETING TEMPORAL ADVERBIALS*

Chung Hee Hwang & Lenhart K. Schubert

Department of Computer Science, University of Rochester
Rochester, New York 14627-0226

Abstract

We take for granted that sentences describe situations [2, 12]. One of the most important properties of situations are then their temporal locations, which are indicated by tense and aspect and temporal adverbials in the surface form. In [10, 22], we offered a formal theory for English tense and aspect and an algorithm that computes the temporal relationships between the situations implicitly introduced by a text. In the present paper, we propose a systematic approach to temporal adverbials, fully integrated with our tense-aspect theory and the interpretive algorithms, using the Episodic Logic (EL) formalism [9, 11, 12, 21].

1. INTRODUCTION

Previous theoretical work on temporal adverbials has mostly concentrated on adverbials specifying temporal locations (e.g., “yesterday”), durations (e.g., “for a month”) and time spans (e.g., “in three hours”). It appears that interest in the first kind of adverbial originated from the desire to correct the erroneous analyses provided by Priorean tense logics, in particular, their treatment of the interaction between time adverbials and tense. The second and third kinds of adverbials were often considered in connection with the aspectual classes of the VPs or sentences those adverbials modify (e.g., durative adverbials may modify only stative sentences, whereas adverbials of time span may modify only accomplishment sentences). However, other kinds of temporal adverbials have received little attention, including ones specifying *repetition*:

The engineer shut down the motor *twice* yesterday.
The engine *frequently* broke down.
The operator checked the level of oil *every half hour*.
The inspector visits the lab *every Monday*.

On our analysis, these sentences describe complex events, consisting of a sequence of subevents of specified types, and the given adverbials modify the structure of these complex events: the cardinality of component events (“twice”), the frequency or distribution pattern of component events (“frequently,” “regularly,” “every half hour,” etc.), and the temporal location of cyclic events that occur synchronously with other recurrent time frames or events (“every Monday” or “every time the alarm went off”).

Other issues that deserve further investigation are the interactions between multiple temporal adverbials, and various kinds of aspectual class shift due to aspectual class constraints on the use of adverbials (occurring singly or jointly with others). The following sentences illustrate these issues.

*This research was supported in part by NSF Research Grant IRI-9013160 and ONR/DARPA Research Contracts No. N00014-82-K-0193 and No. N00014-92-J-1512. The authors benefited from example sentences by Greg Carlson and Phil Harrison.

John ran *for half an hour every morning* for a month.
John stepped out of his office *for fifteen minutes*.
Mary is going to Boston *for three days*.
Mary won the competition *for four years*.
John saw Mary *twice in two years*.

Our aim is to provide a uniform analysis for all kinds of temporal adverbials. Our approach is compositional in that the lexicon supplies meanings at the word level (or possibly at the morpheme level, e.g., for ‘-ly’ adverbs), and the meanings of adverbials are computed from the lexical entries by our GPSG-like grammar rules. The grammar rules take care of aspectual compatibility of adverbials with the VPs they modify. The resulting indexical logical form is then “deindexed” (converted to an explicit, context-independent form) by a set of recursive rules. The resultant episodic logical form (ELF) is formally interpretable and lends itself to effective inference. We now consider the syntax and the semantics of temporal adverbials. We first show logical form representations of temporal adverbials, in both indexical and deindexed form, and how to obtain them from the surface structure, together with a brief discussion of semantics. Then, we discuss an extension of our system that accommodates aspectual class shifts to properly handle the interaction between temporal adverbials and aspectual classes.

2. SYNTAX AND SEMANTICS OF TEMPORAL ADVERBIALS

We first discuss the basic interpretive mechanism, using *yesterday* as an example, and then generalize to other types of temporal adverbials.

2.1. The Basic Mechanism

As indicated in the following fragment of a GPSG-like sentence grammar, we treat all adverbial adjuncts as VP-adjuncts at the level of syntax.¹ (Aspectual feature agreement is assumed, but not discussed till section 3.)

NP $\leftarrow$ Mary; Mary
V[1bar, past] $\leftarrow$ left; <past leave>
VP $\leftarrow$ V[1bar]; V'
VP $\leftarrow$ VP ADVL[post-VP]; (ADVL' VP)
S $\leftarrow$ NP VP; [NP' VP]

However, despite this surface syntax, the semantic rule (ADVL' VP), specifying functional application of the ADVL-translation to the VP-translation, may lead to either predicate modification or sentence modification at the level of immediate logical form. In particular, manner adverbials (e.g., *with*

¹In sentences like “Yesterday Mary left,” we treat the preposed ADVL as topicalized, i.e., as “extracted” from post-VP position. However, we may want to treat modal and attitude adverbials (as in “Oddly, Mary left”) as sentence-modifying. This does not affect our discussion here.

a brush, hastily, etc.) are uniformly interpreted as predicate modifiers at the level of immediate LF, while temporal (and locative) adverbials are all interpreted as sentence modifiers. How such sentence-modifier interpretations are formed from VP adjuncts is easily seen from rules such as the following:

NP[def-time] $\leftarrow$ yesterday; Yesterday
 PP[post-VP] $\leftarrow$ NP[def-time]; (during NP)
 ADVL $\leftarrow$ PP[e-mod, post-VP]; $\lambda P \lambda x ((\text{adv-e PP}) [x P])$.

(adv-e stands for ‘episode-modifying adverbial’.² More on this later.) From these rules it is clear that the logical translation of *yesterday*, as an adverbial adjunct, is

$\lambda P \lambda x ((\text{adv-e (during Yesterday)}) [x P])$.

In the interpretation of a sentence such as “Mary left yesterday,” this λ -abstract would be applied to predicate leave (initially paired with unscoped tense operator past), yielding

$\lambda x ((\text{adv-e (during Yesterday)}) [x <\text{past leave}>])$,

and this in turn would be applied to term Mary (translating the NP *Mary*), yielding the formula

$((\text{adv-e (during Yesterday)}) [\text{Mary} <\text{past leave}>])$.

Here, (during Yesterday) is a 1-place predicate (the result of applying the 2-place predicate during to the indexical constant Yesterday, allowable in the “curried function” semantics of EL). adv-e maps this 1-place predicate into a sentence modifier; i.e., (adv-e (during Yesterday)) denotes a function from sentence meanings to sentence meanings. In the present case, the operand is the sentence [Mary <past leave>], written in the square-bracketed, infix form that is the preferred sentence syntax in EL.³

The above *indexical* (context-dependent) logical form is obtained quite directly as a byproduct of parsing, and is subsequently further processed — first, by scoping of ambiguously scoped quantifiers, logical connectives, and tense operators, and then by applying a set of formal *deindexing rules*, which introduce explicit *episodic variables* into the LF, and temporally relate these based on tense operators, temporal adverbials, and context structures called *tense trees*. These tense trees, described in [10, 22], supply “orienting relations” between episodes introduced by different clauses, such as the relation that exists between successively reported events in a narrative. We should emphasize that our treatment of time adverbials is fully compatible and integrated with the treatment of tense, but we will neglect tense operators and tense trees herein as far as possible. We do need to mention, though, that tense operators are generally assumed to take wide scope over adverbials in the same clause. Thus, after scoping, we get

²Certain feature principles are assumed in the grammar — namely, certain versions of the head feature principle, the control agreement principle, and the subcategorization principle. Notice that in our system, features are treated as trees; e.g., the subtree rooted by feature mod-vp has daughters pre-vp and post-vp, and the subtree rooted by feature e-mod has daughters temp-loc, dur, time-span, freq, card, cyc-time, etc., where temp-loc in turn has daughters def-time, indef-time, etc.

³In general, $[\tau_n \pi \tau_1 \dots \tau_{n-1}]$ is an equivalent way of writing $(\pi \tau_1 \dots \tau_n)$, which is in turn equivalent to $(\dots ((\pi \tau_1) \tau_2) \dots \tau_n)$. See [9, 11].

(past ((adv-e (during Yesterday)) [Mary leave])).

Since the deindexing rules “work their way inward” on a given indexical LF, starting with the outermost operator, the past tense operator in the sentence under consideration will already have been deindexed when the adv-e construct is encountered. In fact we will have

$(\exists e_1: [e_1 \text{ before } u_1] \\ ((\text{adv-e (during Yesterday)}) [\text{Mary leave}])_T ** e_1)$,

where u_1 denotes the utterance event for the sentence concerned, and T denotes the current tense tree. Note that we use restricted quantifiers of form $(Q \alpha: \Phi \Psi)$, where Q is a quantifier, α is a variable, and restriction Φ and matrix Ψ are formulas. At this point the following deindexing rule for adv-e is brought to bear (we omit the second half of the rule, specifying the transformation of the tense tree T; see [9, 11]):

For π a monadic predicate, and Φ a formula,
 adv-e: $((\text{adv-e } \pi) \Phi)_T \leftrightarrow [\forall \pi_T \wedge \Phi_{\pi_T}]$

This rule essentially splits the formula into a conjunction of two subformulas: one for the adverbial itself, the other for the sentence modified by the adverbial, much as in Dowty’s system [4, 5]. To provide an intuitive explanation of how this works, we need to mention the operators ‘*’ and ‘**’, which are central to EL. Roughly, $[\Phi * \eta]$ means that Φ is true in episode η (or, Φ describes η), and $[\Phi ** \eta]$ means that Φ , and only Φ , is true in episode η (or, Φ characterizes η). (For details, see [9, 11, 12].) Now the expression $\forall \pi_T$ on the RHS of the deindexing rule for adv-e is a sentential formula (formed from predicate π_T) which can be read as “ π_T is true of the current episode (i.e., the one at which $\forall \pi_T$ is evaluated).” In view of this, the combination

$[[\forall \pi_T \wedge \Phi_{\pi_T}] ** \eta]$

is equivalent to $[[[\eta \pi_T] \wedge \Phi_{\pi_T}] ** \eta]$. Note that π_T is now predicated directly of episode η . In the example above, we obtain

$(\exists e_1: [e_1 \text{ before } u_1] \\ [[e_1 \text{ during Yesterday}_T] \wedge [\text{Mary leave}]] ** e_1)$,

and this leaves only Yesterday_T to be deindexed to a specific day (that is, $(\text{yesterday-rel-to } u_1)$).

To make the semantics of ‘ $\forall$ ’, ‘*’ and ‘**’ a little more precise, we mention two clauses from the truth-conditional semantics:

1. For Φ a formula, and η a term,
 $[[\Phi * \eta]]^s = 1$ only if *Actual* $([[\eta]], s)$ and $[[\Phi]]^{[[\eta]]} = 1$;
 $= 0$ only if *Nonactual* $([[\eta]], s)$ or $[[\Phi]]^{[[\eta]]} \neq 1$,
 where these conditionals become biconditionals (iffs) for s an *exhaustive* (informationally maximal) situation.
2. For $s \in \mathcal{S}$, and π a predicate over situations,
 $[[\pi]]^s = [[\pi]]^{s,s}$, i.e., $[[\pi]](s)(s)$,
 where $\mathcal{S}$ is the set of possible situations.

Also, a few relevant axioms are (for π , π' 1-place predicates, η a term, and Φ a formula):

- $[\Phi ** \eta]$
 $\leftrightarrow [[\Phi * \eta] \wedge \neg(\exists e: [e \text{ proper-subep-of } \eta] [\Phi * e])]$
- $[\neg\pi \wedge \neg\pi'] \leftrightarrow \forall e [[e \pi] \wedge [e \pi']]$
- $[[\neg\pi \wedge \Phi] ** \eta] \leftrightarrow [[[\eta \pi] \wedge \Phi] ** \eta]$

2.2. Adverbials of Duration, Time-span, and Repetition

Like adverbials of temporal location, durative adverbials are also translated as (adv-e π). For instance, “John slept for two hours” becomes (with tense neglected)

((adv-e (lasts-for (K ((num 2) (plur hour))))) [John sleep]).

Like during, lasts-for is a 2-place predicate. Here it has been applied to a term ($K...$), leaving a 1-place predicate. Just as in the case of (during *Yesterday*), the deindexed LF will contain a predication stating that the episode characterized by *John sleeping* lasts for two hours. (The details of the term ($K...$), denoting the abstract kind of quantity, two hours, need not concern us here. K as used here corresponds to $K1$ in [9, 11].) Time-span adverbials (as in “John ran the race *in two hours*”) are treated in much the same way, using predicate in-span-of.

The translation of cardinal and frequency adverbials involves the sentence-modifying construct (adv-f π). π is a predicate which applies to a *collection* of temporally separated episodes. It may describe the cardinality of the episodes or their frequency (i.e., their relative density), periodicity or distribution pattern. So, for instance, we have

((adv-f ((num 2) (plur episode))) [John see Movie3])

for “John saw the movie twice,” and

((adv-f ((attr frequent) (plur episode))) [John call Mary])

for “John called Mary frequently.” (num is an operator that maps numbers into predicate modifiers, and plur (*plural*) is a function that maps predicates applicable to individuals into predicates applicable to collections; cf., Link [13]. attr (*attributive*) is an operator that maps predicates into predicate modifiers.) Table 1 shows lexical rules and PP and ADVL rules handling large classes of frequency adverbials, including periodic ones such as *every two hours* and synchronized cyclic ones such as *every spring*.

The deindexing rule for adv-f is as follows:

For π a monadic predicate, and Φ a formula,
 adv-f: ((adv-f π) Φ)_T $\leftrightarrow$ $[\neg\pi_T \wedge (\text{mult } \Phi_{\pi_T})]$

As illustrated in Table 1, π could take various forms. mult on the RHS side of the rule is a function that transforms sentence intensions, and is defined as follows.

For η an episode, and Φ a formula,
 □ $[(\text{mult } \Phi) ** \eta]$
 $\leftrightarrow [[[\eta \text{ (plur episode)}] \wedge$
 $(\forall e: [e \text{ member-of } \eta]$
 $[[\Phi ** e] \wedge \neg(\exists e' [[e' \neq e] \wedge [e' \text{ member-of } \eta] \wedge$
 $[e' \text{ overlaps } e]])]]],$

Table 1: GPSG Fragment (Adverbials)

% VP Adjunct Rules

ADVL $\leftarrow$ PP[e-mod, post-VP]; $\lambda P \lambda x ((\text{adv-e PP}') [x P])$

ADVL $\leftarrow$ ADV[e-mod, mod-VP]; $\lambda P \lambda x (\text{ADV}' [x P])$

VP $\leftarrow$ VP ADVL[mod-vp]; (ADVL', VP')

% Temporal ADV, PP Rules

NP[def-time] $\leftarrow$ *yesterday*; *Yesterday*

PP[post-VP] $\leftarrow$ NP[def-time]; (during NP')

e.g., *yesterday'* = $\lambda P \lambda x ((\text{adv-e (during Yesterday)}) [x P])$

N[time-unit, plur] $\leftarrow$ *hours*; (plur hour)

ADJ[number, plur] $\leftarrow$ *two*; (num 2)

N[1bar, time-length] $\leftarrow$ ADJ[number] N[time-unit]; (ADJ' N')

NP $\leftarrow$ N[1bar, time-length]; (K N')

P[dur] $\leftarrow$ *for*; lasts-for

P[span] $\leftarrow$ *in*; in-span-of

PP[e-mod, post-VP] $\leftarrow$ P NP[time-length]; (P' NP')

e.g., *for two hours'* = $\lambda P \lambda x ((\text{adv-e (lasts-for (K ((num 2) (plur hour))))) [x P])$

e.g., *in two hours'* = $\lambda P \lambda x ((\text{adv-e (in-span-of (K ((num 2) (plur hour))))) [x P])$

ADV[card, post-VP] $\leftarrow$ *twice*; (adv-f ((num 2) (plur episode)))

N.B. ‘adv-n’ used in [9] is no longer used.

ADV[freq, mod-VP] $\leftarrow$ *frequently*;

(adv-f ((attr frequent) (plur episode)))

ADV[freq, mod-VP] $\leftarrow$ *periodically*;

(adv-f ((attr periodic) (plur episode)))

ADV[freq, post-VP] $\leftarrow$ Det[every] N[1bar, time-length];

(adv-f $\lambda s [[s ((\text{attr periodic}) (\text{plur episode}))] \wedge$
 $[(\text{period-of } s) = (K \text{ N'})]]]$

e.g., *twice'* = $\lambda P \lambda x ((\text{adv-f ((num 2) (plur episode))) [x P])$

e.g., *frequently'* = $\lambda P \lambda x ((\text{adv-f ((attr frequent) (plur episode))) [x P])$

e.g., *every two hours'*

= $\lambda P \lambda x ((\text{adv-f } \lambda s [[s ((\text{attr periodic}) (\text{plur episode}))] \wedge$
 $[(\text{period-of } s) = (K ((\text{num 2}) (\text{plur hour}))]]]) [x P])$

N[indef-time] $\leftarrow$ *spring*; spring

NP[cyc-time] $\leftarrow$ Det[every] N[1bar, indef-time]; <Det' N'>

PP[post-VP] $\leftarrow$ NP[cyc-time]; (during NP')

ADV $\leftarrow$ PP[cyc-time, post-VP];

(adv-f $\lambda s (\exists e [[e \text{ member-of } s] \wedge [e \text{ PP'}]])$

e.g., *every spring'*

= $\lambda P \lambda x ((\text{adv-f } \lambda s (\exists e [[e \text{ member-of } s] \wedge [e \text{ during } <\forall \text{ spring}>]]]) [x P])$

Sentences (1)–(5) below illustrate the rules stated in Table 1. The (a)-parts are the English sentences, the (b)-parts their immediate indexical LFs, and the (c)-parts the deindexed ELFs. (1) should be fairly transparent at this point. (2c) says that “some time before the utterance event, there was a 2 month-long (multi-component) episode, that consists three episodes of type ‘John date Mary’.” (3c) reads similarly. (4c) reads as “there was a 10 day-long episode that consists of periodically occurring subepisodes of type ‘John take medicine’, where the period was 4 hours.” (5c) is understood as “at the generic

present there is a collection of episodes of type ‘Mary bake cake’, such that during each Saturday within the time spanned by the collection,⁴ there is such an episode.” (We take verbs of creation such as *bake* as predicate modifiers.)

- (1) a. John worked for *three hours yesterday*.
b. (past ((adv-e (during *Yesterday*))
((adv-e (lasts-for (K ((num 3) (plur hour)))) [John work])))
c. ($\exists e_1$: [e_1 before u_1]
[[[e_1 during (yesterday-rel-to u_1)] $\wedge$
[e_1 lasts-for (K ((num 3) (plur hour)))] $\wedge$
[John work]] ** e_1])
- (2) a. Mary visited Paris *three times in two months*.
b. (past ((adv-e (in-span-of (K ((num 2) (plur month))))
((adv-f ((num 3) (plur episode))) [Mary visit Paris])))
c. ($\exists e_2$: [e_2 before u_2]
[[[e_2 in-span-of (K ((num 2) (plur month)))] $\wedge$
[e_2 ((num 3) (plur episode))] $\wedge$
(mult [Mary visit Paris]] ** e_2])
- (3) a. John *regularly* dated Mary for *two years*.
b. (past ((adv-e (lasts-for (K ((num 2) (plur year))))
((adv-f ((attr regular) (plur episode))) [John date Mary])))
c. ($\exists e_3$: [e_3 before u_3]
[[[e_3 lasts-for (K ((num 2) (plur year)))] $\wedge$
[e_3 ((attr regular) (plur episode))] $\wedge$
(mult [John date Mary]] ** e_3])
- (4) a. John took medicine *every four hours for ten days*.
b. (past ((adv-e (lasts-for (K ((num 10) (plur day))))
((adv-f λs [(s ((attr periodic) (plur episode))] $\wedge$
[(period-of s) = (K ((num 4) (plur hour)))]
[John take (K medicine))]))
c. ($\exists e_4$: [e_4 before u_4]
[[[e_4 lasts-for (K ((num 10) (plur day)))] $\wedge$
[e_4 ((attr periodic) (plur episode))] $\wedge$
[(period-of e_4) = (K ((num 4) (plur hour)))] $\wedge$
(mult [John take (K medicine)])
** e_4])
- (5) a. Mary bakes a cake *every Saturday*.
b. (gpres ((adv-f λs ($\forall d$: [d Saturday]
($\exists e$ [(e member-of s) $\wedge$ [e during d]]))
[Mary (bake cake)]))
c. ($\exists e_5$: [e_5 gen-at u_5]
[[($\forall d$: [d Saturday]
($\exists e$ [(e member-of e_5) $\wedge$ [e during d]])) $\wedge$
(mult [Mary (bake cake)])
** e_5])

We emphasize again that ELFs are completely deindexed, and so allow effective inference. EPILOG [20], the computer implementation of EL, makes inferences very efficiently, based on such ELFs and world knowledge, aided by a “time specialist.” For instance, given “There is a train to Boston every two hours,” “A train left for Boston at 2:30,” and appropriate axioms, EPILOG can infer that the next train would be at 4:30.⁵

⁴This constraint on the Saturdays under consideration is assumed to be added by the deindexing process for time- or event-denoting nominals, but has been omitted from (5c).

⁵The following kind of meaning postulates are assumed:

- a. ($\forall s$: [s ((attr periodic) (plur episode))]
($\exists n$: [n number] $\wedge$ [$n \geq 2$] [s ((num n) (plur episode))])
A periodic collection of episodes has at least two component episodes.

This kind of reasoning is very important in the TRAINS project [1], one of our target applications.

We also have a tentative account of adverbials such as *consecutively* and *alternately*, and some non-PP adverbials, but cannot elaborate within the present space limitations.

3. AN EXTENSION: TEMPORAL ADVERBIALS AND ASPECTUAL CLASS SHIFTS

So far, we have assumed aspectual category agreement between temporal adverbials and VPs they modify. We now discuss our aspectual class system and our approach to apparent aspectual class mismatch between VPs and adverbials, based on certain aspectual class transformations.

We make use of two aspectual class feature hierarchies, stativeness and boundedness as below:⁶

Atemporal (or, unlocated) sentences whose truth value does not change over space and time are assigned the feature *factual*. Every tensed English sentence, e.g., “Mary left before John arrived,” in combination with a *context*, is considered *factual*. Untensed sentences may be *stative* or *telic*, depending on the type of the predicate (i.e., achievement/accomplishment versus state/process predicates) and on the object and subject (e.g., count versus mass). Sentences describing states or processes are assigned the feature *stat*, while those describing achievements or accomplishments are assigned the feature *telic*.

By a co-occurrence restriction, *factual* formulas are *unbounded*, and *telics* are *bounded*. *Statives* are *by default* *unbounded*. Intuitively, a formula is *bounded* if the episode it characterizes terminates in a distinctive result state (result states are formally defined in [11].) This is a property we ascribe to all *telic* episodes as well as to some *stative* episodes (such as an episode of John’s being ill, at the end of which he

- b. ($\forall k$: [k kind-of-timelength] ($\forall e$: [e episode] $\wedge$ [e lasts-for k]
($\exists t$: [t time] $\wedge$ [(timelength-of t) = k] [e throughout t]))

An episode lasting for a certain length of time means there is a time of that length such that the temporal projections of the time and the episode are identical.

- c. ($\forall e$ ($\forall s$: [s ((attr periodic) (plur episode))] $\wedge$ [s throughout e]
($\forall p$: [(period-of s) = p] ($\forall e_1$: [e_1 member-of s]
[[($\exists e_2$: [e_2 immed-successor-in e_1 s]
[(dist (begin-of e_1) (begin-of e_2)) = p]] $\vee$
[(dist (begin-of e_1) (end-of e)) < p]] $\wedge$
[($\exists e_3$: [e_3 immed-predecessor-in e_1 s]
[(dist (begin-of e_1) (begin-of e_3)) = p]] $\vee$
[(dist (begin-of e_1) (begin-of e)) < p]]))))

A component episode of a sequence of episodes with period p has an immediate predecessor/successor that is apart from it by p unless it is the first/last element of the sequence. The distance between the first/last element and the begin/end point of the episode the sequence permeates is less than p .

⁶Our aspectual class system resembles Passonneau’s [18] in that it makes use of two orthogonal feature hierarchies, although the actual division of features is different from hers.

Notice that (9) has at least three readings: first, during a certain week-long event, nobody had an 8-hour snooze; second, a situation in which nobody slept regularly for 8 hours persisted for a week¹⁰; and third, there is no one who slept daily for 8 hours for a week. (9b), (9c) and (9d) provide these three readings (distinguished by the scope of the quantifier *No* and the adverbial *for a week*). Note now that in (9a), the inner durative adverbial *for eight hours* transforms the unbounded VP to a bounded one. Being another durative adverbial, however, the outer *for a week* requires that its argument be unbounded. This is not a problem as shown in ELF's (9b, c, d). That is, in (9b), the argument is a negated formula which is normally considered to be stative-unbounded, and in (9c) and (9d), the *iter* operator produces stative-unbounded formulas.

4. CONCLUSION

Much theoretical work has been done on temporal adverbials (e.g., [4, 5, 7, 14, 16, 19]). There is also some computationally oriented work. For instance, Hobbs [8] provided simple rules for some temporal adverbials, including frequency ones. Moens and Steedman [15], among others, discussed the interaction of adverbials and aspectual categories. Our work goes further, in terms of (1) the scope of syntactic coverage, (2) interaction of adverbials with each other and with tense and aspect, (3) systematic (and compositional) transduction from syntax to logical form (with logical-form deindexing), (4) formal interpretability of the resulting logical forms, and (5) demonstrable use of the resulting logical forms for inference.

Our initial focus in the analysis of temporal adverbials has been PP-adverbials. Remaining work includes the analysis of clausal adverbials. Also, interactions with negation and aspect (perfect and progressive) have not been completely worked out. Negations of statives are statives, but negations of bounded sentences may be either bounded or unbounded (cf., "We haven't met for three years" versus "I have friends I haven't met in three years"). The interaction between present perfect and multiple adverbials of temporal location also creates some subtle difficulties. E.g., in "Mary has jogged {at dawn} {this month}," the inner time adverbial modifies the "jogging" episode, while the outer one modifies the interval that contains the "jogging" episode as well as the utterance time. See [11] for some relevant points. Another issue that requires thought is adverbials involving implicit anaphoric referents. Consider, e.g., "Shortly, Mary came in," "John came back in ten minutes," and "After three years, John proposed to Mary." These adverbials involve an implicit reference episode. Such implicit referents may often be identified from our tense trees, but at other times require inference. Another important remaining issue is the interaction between event nominals and frequency adjectives (along the lines of [25]).

¹⁰Here, iterated sleep is understood as daily sleep—something that must be determined by pragmatics.

References

1. J. Allen and L. K. Schubert. The TRAINS Project. TR 382, U. of Rochester, 1991.
2. J. Barwise and J. Perry. *Situations and Attitudes*. MIT Press, Cambridge, MA, 1983.
3. Ö. Dahl. On the definition of the telic-atelic (bounded-nonbounded) distinction. *Tense and Aspect (Syntax and Semantics, V.14)*, 79-90. Academic Press, New York, 1981.
4. D. Dowty. *Word Meaning and Montague Grammar*. Reidel, Dordrecht, 1979.
5. D. Dowty. Tense, time adverbs and compositional semantic theory. *Linguistics and Philosophy*, 5:23-55, 1982.
6. E. W. Hinrichs. *A Compositional Semantics for Aktionsarten and NP Reference in English*. PhD thesis, Ohio State U., 1985.
7. E. W. Hinrichs. Tense, quantifiers, and contexts. *Computational Linguistics*, 14:3-14, 1988.
8. J. R. Hobbs. Ontological promiscuity. In *Proc. 23rd Annual Meeting of the ACL*, 61-69. Chicago, IL, July 8-12, 1985.
9. C. H. Hwang. *A Logical Approach to Narrative Understanding*. PhD thesis, U. of Alberta, Canada, 1992.
10. C. H. Hwang and L. K. Schubert. Tense trees as the "fine structure" of discourse. In *Proc. 30th Annual Meeting of the ACL*, 232-240. Newark, DE, June 29-July 2, 1992.
11. C. H. Hwang and L. K. Schubert. *Episodic Logic: A comprehensive semantic representation and knowledge representation for language understanding*. In preparation.
12. C. H. Hwang and L. K. Schubert. Episodic Logic: A situational logic for natural language processing. In *Situation Theory and its Applications, V. 3*, CSLI, Stanford, CA, In print.
13. G. Link. The logical analysis of plurals and mass terms: A lattice-theoretical approach. In *Meaning, Use, and Interpretation of Language* (editors Bäuerle, Schwarze, and von Stechow), Walter de Gruyter, Germany. 302-323, 1983.
14. A. Mittwoch. Aspects of English aspect: On the interaction of perfect, progressive and durational phrases. *Linguistics and Philosophy*, 11:203-254, 1988.
15. M. Moens and M. Steedman. Temporal ontology and temporal reference. *Computational Linguistics*, 14:15-28, 1988.
16. F. Moltmann. Measure adverbials. *Linguistics and Philosophy*, 14:629-660, 1991.
17. A. P. D. Mourelatos. Events, processes and states. *Tense and Aspect (Syntax and Semantics, V.14)*, 191-212. Academic Press, New York, 1981.
18. R. J. Passonneau. A computational model of the semantics of tense and aspect. *Computational Linguistics*, 14:44-60, 1988.
19. B. Richards and F. Heny. Tense, aspect, and time adverbials. *Linguistics and Philosophy*, 5:59-154, 1982.
20. S. Schaeffer, C. H. Hwang, J. de Haan, and L. K. Schubert. *The User's Guide to EPILOG* (Prepared for Boeing Co.). 1991.
21. L. K. Schubert and C. H. Hwang. An Episodic knowledge representation for narrative texts. In *KR '89*, 444-458, Toronto, Canada, May 15-18, 1989.
22. L. K. Schubert and C. H. Hwang. Picking reference events from tense trees: A formal, implementable theory of English tense-aspect semantics. *Proc. Speech and Natural Language, DARPA*, 34-41, Hidden Valley, PA, June 24-27, 1990.
23. C. Smith. *The Parameter of Aspect*. Kluwer, Dordrecht, 1991.
24. M. J. Steedman. Reference to past time. In *Speech, Place and Action*, 125-157. John Wiley and Sons, New York, 1982.
25. G. T. Stump. The interpretation of frequency adjectives. *Linguistics and Philosophy*, 4:221-257, 1981.
26. Z. Vendler. *Linguistics in Philosophy: Chapter 4, Verbs and Times*. Ithaca, Cornell U. Pr., 1967.
27. H. J. Verkuyl. Aspectual classes and aspectual composition. *Linguistics and Philosophy*, 12:39-94, 1989.