HOW THE LINGUISTIC NEGATION CAN HAVE AN EFFECT IN OBJECT-BASED KNOWLEDGE REPRESENTATION MODEL

Lahcène SI AMEUR and Jacques ROUAULT

Stendhal University

CRISTAL-GRESEC

BP25, 38040 Grenoble Cedex09, FRANCE

E.mail : siameur@ull-cristal2.grenet.fr

jrouault@ull-cristal2.grenet.fr

Abstract

In this paper, the coherence is considered within the framework of knowledge representation of texts. Though the incoherence of a text may result from a lot of phenomena, we restrict ourselves in this communication to incoherence stemming from negations. We present the model and the effect of negation on its objects.

1 Introduction

This communication aims to clarify the concept of coherence in knowledge representation for natural language discourses and to pose the first foundations for formal representation and automatic processing of coherence.

We must emphasize first that coherence in natural language discourses may result from incoherent parts : a part of a discourse may be contradictory with what is said in other parts without questioning the coherence of the whole. For example, a digression, a supposition, an invalid hypothesis may be included as a part of a discourse and ruled out by what follows. So, a "lapse of memory" operates often in text comprehension and protects the text from deep incoherence. This means, of course, that coherence in natural language discourses is quite different from the consistency in a mathematical theory, which has to be consistent in each of its sets of propositions. So, a coherence theory for natural language representation systems must take into account this fact and limit the coherence verification to parts of texts actually asserted.

At a deep level at least, we pose the hypothesis that a text is generally coherent. So the problem we address to is to try to detect incoherence. Though the incoherence of a text may result from a lot of phenomena, we restrict ourselves in this communication to incoherence stemming from negations. But surface negations must be interpreted in the framework of linguistics theory : this is the first part of our work (not included here due to lack of space). This study shows that negation is very seldom at the origin of incoherence. The

last part of the communication is devoted to the taking into account of negation in a specific case of knowledge in our of knowledge representation system.

2 The knowledge representation model

2.1 Origin of the model

Many knowledge representation systems exist; the need for a new one came from the type of knowledge we aim to represent and from the reasonings we try to implement. The framework of the model is linguistic pragmatics : we want to represent the linguistic marks of pragmatics (and not the pragmatics of an application). Thus, the knowledge associated to a discourse is represented at two levels : a knowledge representation of the application domain (which is outside the natural language system) and the model we are concerned with here, and which is the deepest level of our natural language analysis (the pragmatic level). These constraints explain why the existing knowledge representation systems are not convenient for our purpose : the information is specific and, above all, the reasonings to perform are proper to natural language discourses. The prototype of these reasonings is the abductive one, in which, from a property asserted in the text we infer an object which possesses this property and, then, we consider all the characteristics of the selected object as valid for the text.

2.2 Outline of the representation model

The knowledge representation model is an object one, expressed in a particular logic formalism. The underlying logic is that of LESNIEWSKI's logical systems [Lesniewski,1989], [Miéville,1984], [Rouault,1991]. In these systems, the primitives of an object model correspond to the "is-a" of the Calculus of Names and the ingredient functor of the Mereology [Achouba and Rouault, 1989]. We have thus a logical basis for the primitives of most object models and a framework for the inductive part of the system.

The individuals of the knowledge base are objects. This base is divided into worlds. A world is a structured set of objects which is coherent : the exceptions, change of meanings are taken into account by a change of world. A world is divided into two universes : its intension and its extension. The intension contains those objects whose representation is supposed valid for speakers and situations related to discourse enunciation and to the application domain : there exists a consensus between the speakers of the discourse about these objects, which reflects "general" background knowledge (*The dog is a stupid and spiteful animal*). The intensional objects are then kinds of "logical" concepts in their world. The extension of a world contains objects which are particular to a specific situation, a specific time, ... (*Peter's dog barked all night long*). There is inheritance from intension to extension of the same world, but the extensions of two different worlds do not communicate. In case of change of world, a complex inheritance procedure must transmit only knowledge which insures the coherence of the new world from the old intension to the new one (This, also stresses the necessity to be able to detect incoherence in a discourse).

There are three kinds of objects in the model (and hence in any world and universe) : the individual objects, the action schemata [Gallo and Rouault, 1992] and the state schemata.

2.3 The individual objects

In our model, an individual object has the following structure:[Rouault, 1992]

Status	World
	Universe
	Cardinality
Definitional part	Denomination
	Other-names
	Structural
	Functive

2.3.1 Status

This part indicate the conditions of validity of an object. It be composed of several objects:

World A discourse can generate worlds. For each object, the system must specify in what world it must be introduced, where it is valid and where we can make inferences that bring it into play. We therefore pose:

$$M \in World(I)$$

I is the name of the described object. "world" is the formative functor of name, the variable M is the value of the world that the discourse created. When the knowledge coming from the discourse is incoherent with the knowledge base, there is world

change. This change can come equally from a difference of view points between speakers expressed in the discourse [Fredj, 1992].

Universes An universe denotes to a couple (I,R) formed of an intension (I) and an extension (R). The object is defined in the world by a formative functor of name, from I [Berrendonner and Rouault, 1991].

$$U \in Universe(I)$$

U takes the value *Int* or *Ext*.

Individual and class An object can be an individual or a class. This distinction is based on the singular | plural opposition. The individuality is defined by a formative functor of name, from I:

$$In \in indiv(I)$$

In takes the value *Ind* or *Cl*.

2.3.2 Definitional part of an object

Here, we discovered two kind of sub-objects: those which are part of the described object and those which relate the object described and others objects of the world. The name of an object represents the sub-object of the denomination.

$$N \in denomination(I)$$

We also can associate to a name of an object other synonyms. These sub-objects are defined by the formative functor of name whose the argument is the name of object.

$$Ni \in other-names(I)$$

Structural sub-objects represent the part of ingreience, "part-all", in the sens of the mereology. It means that it describes the relation between an object and its constitutive parts. They are of the form:

$$I \in ingr(J)$$

Object I is a part of object J . i.e. *The wheel is a part of the bike*.

Functive It indicates a relation between the object considered and another object. This relation is marked on the surface by a verb or normalised verbal form [Berrendonner and al, 1992]. A functive has the following form:

$$f(I,J)$$

Where I is the object described and J is the object with which I is connected by the functive f

2.4 Predicative objects

The functives of an individual object act as relations between objects. We have to pose the properties of such relations : depending on if they refer to an action or a state, a relation is defined by an action schema or a state schema. An action schema contains the following sub-objects [Gallo and Rouault, 1992] : the name(s) of the action,

the nature of the arguments, the state(s) eventually entailed by the action (result, product, ...) and the scenario associated to the process, which depends on the discourse domain.

2.5 Structuring of the knowledge base

In the intensional universe of a world, the individuals (also named types) are nodes of a lattice (the lattice of types), the hierarchy being represented by the ingreience functor. The types are also linked by their structural and functive sub-objects. Of course, the extensional objects are linked also by their structural and functives sub-objects. And each such object is in accord with its underlying type.

3 Negations in the object-based knowledge representation model

3.1 Negations and objects

The aim of the model is to represent dynamically the knowledge associated with a discourse at a given point (time) of its progression. Thus, each object may change during this progress : we must then distinguish between this "punctual" representation and the history of objects (which it is necessary to maintain in the case of a dialogue, for example). We are concerned here only with the updating of a knowledge base containing the knowledge valid for a discourse at a given time of its progression.

Under this restriction, the knowledge stored in the base is positive : when the discourse asserts a negative fact (*Dogs are not stupid*), this presupposes that the positive corresponding fact (*Dogs are stupid*) has already been asserted (explicitly or implicitly) and that a contradiction may arise. In a mono-speaker discourse (text), the general situation seems to be : the assertion of a negative fact simply erases the positive one (of course, this erasing is virtual when the positive fact is only presupposed). In a multi-speaker discourse (dialogue, for example, a negotiation is suitable to decide which of the two possibilities (the positive or the negative fact) is to be include in the knowledge base. In all these cases, we have to be able to infer properties about objects from negative assertions; which in turn, need to represent the formal properties of different kinds of negations operating on sub-objects of an object.

3.2 Negation on types

As indicated previously, only the intensional objects (the types) have a "logical" behaviour : they represent general knowledge valid in the discourse. The inference rules about negations are valid only in the intensional universe. We then have to define what are the types of negations involved in the type representation.

3.2.1 Negation about the world

The type is negated in the present world but supposed valid elsewhere.

*For the linguists, the negation is not a simple problem
For the mathematical logician, a negation is a simple problem*

Starting from a world where the negation is a simple problem (which, for example, is *mathematical logician*), the previous assertion entails the opening of a new world, in which the new fact is asserted (*The negation is not a simple problem*). When a discourse is expressed by mono-speaker, the assertion of a positive fact (*the negation is not a simple fact*) provoke a contradiction in the same world. This contradiction can be based at least on the difference between sub-objects of type: 'is', 'is not'. The solution seemingly substitutes a positive fact by a negative fact one.

3.2.2 Negation about the universe

A fact presented as a type is negated as such and related to extensional objects (or the converse) : *The dog is not a stupid animal, but Peter's is.*

3.2.3 Negation about the cardinality

It is simply a change of value of the cardinality value.

3.2.4 Negation about denominations

Negation can focus on the "denominations" and "others-names" sub-objects. Denying a "denomination" or "other- names", means to denying a property of the object. In this case, a new property is substituted to a sub-object. Example: *the personal computer is not an 'IBM', but a 'COPAM+'.* Note, before replacing a new property, the model must verify that the new property is really a property of a type because there is a case where a substitution makes no sense: *the personal computer is not an 'IBM', but a 'printer'*

3.2.5 Negation on structural sub-objects

Here it is the ingreience relation which is negated i.e. *The wall is part of a house.* In some cases, the negation of [A is ingr B] suggests the ingreience of the object A to another type C, such that there exists a type D which is greater than B and C in the lattice of types : *The spoke wheel is not a part of a car (it is part of a bike).*

3.2.6 Negation on notional sub-objects

The leaves are green / The leaves are not green

The inference possibilities from the negative assertion are of two kinds :

- 'There is a finite opposition between the notion and its "lexical negation"

(Blood is red / Blood is not red = It is of another colour).

- There is a continuum (as in *big/small*) and we can not infer small from not big.

3.2.7 Negation on functive sub-objects

As indicated previously, the number of attested arguments of the predicate may change the interpretation of the negation :

1. 'The cow does not eat' is the negation of 'The cow eats'
2. 'The cow does not eat meat' is generally not the negation of the property 'The cow eats meat among

other kinds of food)' but the assertion of '*The cow eats something*' and the negation of the choice of meat as food. Here we still refer to another type having with meat the same generic class (*food*) in the lattice of types.

3. We have the same situation in:

The cow does not eat with a knife

The cow does not eat grass with a knife

The cow does not eat meat in Paris

In these examples, only the choice of the last argument seems to be concerned by the negation.

3.3 Negation of extensional objects

A type underlies extensional objects : a change in the properties of a type entails the same change in the associated extensional objects. Of course, the reverse is not true : an extensional object may have properties not possessed by the underlying type. From this it results that the only coherence for an extensional object is internal : it can not have contradictory sub-objects.

Note that an extensional object may be an individual or a class ; of course, all the elements of the class must have the same properties. In fact, class and individual always coexist. Therefore, it is legal to infer a class of type T when the discourse introduces an individual of type T. This is obvious in '*It is one of the neighbour's dogs*' and also in '*He does not have children, only one*'. The last example shows that the negation of a property about a class may have two interpretation: the ordinary one, in which the property is negated for the individual of the class and the negation of the class itself (or, conversely, of the individual) to pose the property about an individual (a class).

In the sentence : '*Only Peter came*', we pose a property about Peter; then '*only*' introduces the class and, of the same time, indicates that the class contains only Peter. This entails that the negation may focus on only (negation that the class contains only one individual) or on the property (*Peter came*), then asserted about '*only Peter*'.

Another interesting example is '*All students succeed*' : we assert a property about the class student and, then, specify that the class is studious, that is : the property is valid for all individuals of the class. In other words, that the class is the extensional projection of the type student: As in previous example, the negation can operate on all (the class is not studious) or on the property asserted about all students.

4 CONCLUSION

In this paper, we have presented an object-based knowledge representation model that allows to extract and to represent knowledge in the knowledge base from discourse. This model can be used in the context of man-machine dialogue or for information retrieval. We have posed the problem of coherence as regarding the knowledge represented in the knowledge base, taking into account the apparent contradictions within discourse. The incoherence can be result from a lot of phenomena but we restrict ourselves in this communication to incoherence stemming from negation. All the cases treated (among others) show that a surface negation does not always fit a deep negation and, in fact, seldom entails an incoherence. Consequently, the negation can have an effect in object-based knowledge

representation model such as to update properties of objects but it rarely provoke an incoherence between the objects of discourse and the objects of knowledge base.

References

- Achouba S., Rouault J. "Complex objects: an application of the calculus of names" In ECOOP, Nottingham, 1989.
- Bacri.N. "Fonctionnement de la négation". Mouton-Paris-La Haye, 1976.
- Berrendonner A. "Grammaire pour un analyseur: aspect morphologique", Cahier du CRISS 15, Grenoble, 1990.
- Berrendonner A and al. "Un système inférentiel orienté objets pour des applications en langue naturelle" In Coling, 1992.
- Berrendonner A., Rouault J. "Sémantique des objets et calcul des noms" In KMET, Nice, 1991.
- Fredj M. SAPHIR: un système d'objets inférentiels-Contributions à l'étude des raisonnements en langue naturelle. Thèse de doctorat, Grenoble, CRISS, 1992.
- Fuchs C. Contribution préliminaire à la construction d'une grammaire de reconnaissance du français. Thèse de doctorat, Paris VII, 1982.
- Gaetone D. Etude descriptive du système de la négation en français contemporain. Ed. Genève: Droz, 1971.
- Gallo M-C., Rouault J. "Schémas d'action et types de procès". In intellectica, 1992, P.P 105-127.
- Grize J.B, Piéaut-le bonnicc G. La contradiction essai sur les opérations de la pensée. Ed. Paris: Presse universitaire de France, 1983.
- Jackendoff.R.S. "Semantic interpretation in generative grammar". Cambridge (Mass.); London: MIT presse, 1987.
- Klima E.S. "Negation in English" In FODOR: The structure of language. Ed. J.A & Katz, J.J. Englewood cliffs, prentice-hall, 246-323, 1964.
- Lallich G, Henneron G, Palermi. "Analyse du français: achèvement et implantation de l'analyseur morpho-syntaxique, CRISS 16, Grenoble, 1990.
- Lesniewski S. Sur les fondements de la mathématique. Ed. Paris:Hermès, 1989.
- Miéville D. Un développement des systèmes Lesniewski. Ed. Peter Lang, 1984.
- Moeschler J. Dire et contredire-pragmatique de la négation et acte de réfutation dans la conversation. Ed. Berne. Francfort: peter lang, 1982.
- Rouault J. "Introduction aux systèmes logiques de Lesniewski", CRISS, Grenoble, 1991.
- Rouault J. "Représentation centrées objets, formalisation en linguistique et système de Lesniewski", CRISS, Grenoble, 1992.
- Rouault J. and Si Ameur L. "Coherence and Negation in Knowledge representation of texts". *Workshop Language Engineering on the information highway, Santorini(Greece), 26-30 september, 1994.*